





Sutter Health Park

2025 Ground Rules

Date: March 31, 2025

RULE #1: The top step inside the entrances of the dugouts is flush with the playing surface and is **LIVE and IN PLAY**.










RULE #2: The green walls above the padding in the Left and Right Field corners are **IN PLAY**. The metal fencing above the walls beyond the end of the fan safety netting is **OUT OF PLAY**.










RULE #3: The metal fence post caps behind the outfield wall are recessed and **OUT OF PLAY**.

- Ball in flight striking the recessed metal post cap: Home Run
- Bounding ball striking the recessed metal post cap: Two Bases










RULE #4: The black metal pole beyond the center field wall is recessed and **OUT OF PLAY**.

- Ball in flight striking the recessed metal pole: Home Run
- Bounding ball striking the recessed metal pole: Two Bases










RULE #5: The right field foul pole is **IN PLAY** from the ground to the metal pole. The support base of the pole is **IN PLAY**. A ball that hits the metal foul pole in flight is a **HOME RUN**.










RULE #6: A batted ball in flight that strikes the yellow foul line or support base above the right field wall and ricochets directly into

the bullpen is a **HOME RUN**.











Backstop Photos:












Backstop Photos (Cont.):











3B Dugout Photos:










3B Dugout Photos (Cont.):










3B Dugout iPad Cameras:








3B Camera Well Photo:








3B Fan Safety Netting Photos:











Tarp Photos:










LF Corner Photos:







LF Foul Pole Photos:












LF Wall Photos:











CF Wall and Batter's Eye Photos:











RCF Wall Photos:










RF Wall Photos:











RF Wall Photos (Cont.):










RF Corner Photos:







RF Foul Pole Photos:








RF Extended Fan Safety Netting Photos:











IB Dugout Photos:












1B Dugout iPad Camera Photos:











Sutter Health Park

2025 Ground Rules

Date: March 31, 2025